

**NEOMYCIN AND POLYMYXIN B SULFATES AND BACITRACIN ZINC- neomycin sulfate and polymyxin b sulfate and bacitracin zinc ointment  
BUTLER ANIMAL HEALTH SUPPLY, LLC DBA COVETRUS NORTH AMERICA**

-----

**Neomycin and Polymyxin B Sulfates and Bacitracin Zinc Ophthalmic Ointment (Sterile) -VETERINARY**

ANADA 200-553, Approved by FDA

**DESCRIPTION:**

Each gram contains: polymyxin B sulfate 10,000 units, bacitracin zinc 400 units, neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base) in a white petrolatum base, q.s.

**ACTIONS:**

Polymyxin B is one of a group of closely related substances produced by various strains of Bacillus polymyxa. The activity of polymyxin B is sharply restricted to gram-negative bacteria. Neomycin, isolated from Streptomyces fradiae, has antibacterial activity in vitro against a wide range of gram-negative and gram-positive organisms. Bacitracin, an antibiotic substance derived from cultures of Bacillus subtilis (Tracy), exerts antibacterial action in vitro against a variety of gram-positive and a few gram-negative organisms.

**INDICATIONS:**

This product is indicated for the treatment of superficial bacterial infections of the eyelid and conjunctiva of dogs and cats when due to organisms susceptible to one or more of the antibiotics contained in the ointment.

Laboratory tests should be conducted including in vitro culturing and susceptibility tests on samples collected prior to treatment.

**PRECAUTIONS:**

If irritation develops discontinue treatment with this drug. If there is no response to treatment in 2 to 3 days, discontinue treatment and re-evaluate diagnosis. Prolonged use may result in overgrowth of nonsusceptible organisms, including fungi.

Care should be taken not to contaminate the applicator tip during administration of the preparation.

**ADVERSE REACTIONS:**

Adverse reactions, such as itching, burning, or inflammation may occur in animals sensitive to this product.

## **DOSAGE AND ADMINISTRATION:**

Properly cleanse area to be treated. Foreign bodies, crusted exudates and debris should be carefully removed. Express a small quantity of ointment into the conjunctival sac beneath the lower eyelid three or four times daily. After application hold the eyelids shut for a short time so that a thin film of ointment covers the cornea.

## **HOW SUPPLIED:**

NDC 11695-6841-3

Tube of 3.5 g (1/8 oz) with ophthalmic tip.

## **STORAGE:**

Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temp].

## **KEEP OUT OF REACH OF CHILDREN.**

### **Not for Human Use.**

**CAUTION:** Federal (U.S.A.) law restricts this drug to use by or on the order of a licensed veterinarian.

**Warning: Serious hypersensitivity (anaphylactic) reactions have been reported in cats within 4 hours of application of antibiotic ophthalmic preparations. Some of these reactions have resulted in death.**

**covetrus®**

## **Questions?**

(855) 724-3461

Distributed by:  
Covetrus North America  
400 Metro Place North  
Dublin, OH 43017

covetrus.com

HNPB00N REV. 0121 AH-071986-01

Principal Display Panel Text for Container Label:

Covetrus logo Reorder #071986

NDC 11695-6841-3

Neomycin and polymyxin B sulfates, and  
bacitracin zinc ophthalmic ointment, USP

For veterinary use only ANADA 200-553, Approved by FDA

Sterile ophthalmic ointment Rx only Net Wt. 3.5 g (1/8 oz.)



Reorder #071986

NDC 11695-6841-3

# Neomycin and polymyxin B sulfates, and bacitracin zinc ophthalmic ointment, USP

For veterinary use only

ANADA 200-553, Approved by FDA

**Sterile ophthalmic ointment Rx only Net. Wt. 3.5 g (1/8 oz.)**

**Each gram contains:**

**Actives:** Polymyxin B sulfate 10,000 units, bacitracin zinc 400 units, and neomycin sulfate 5 mg (equivalent to 3.5 mg neomycin base).

**Inactive:** White petrolatum, q.s.

**Caution:** Federal (U.S.A.) law restricts this drug to use by or on the order of a licensed veterinarian.

**Usual dosage:** See package insert for dosage information.

**Storage:** Store at 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature].

See crimp of tube for Lot Number and Expiration Date.

**FOR OPHTHALMIC USE ONLY. Not for human use. KEEP OUT OF REACH OF CHILDREN. Restricted drug - use only as directed.**

**DO NOT USE IF BOTTOM RIDGE OF TUBE CAP IS EXPOSED.**

AH-071986-L-01  
HNPBAAL REV: 01 21

LT-3501

Distributed by:  
Covetrus North America  
Questions? (855) 724-3461



Principal Display Panel Text for Carton Label:

Covetrus logo Reorder #071986

NDC 11695-6841-3

Neomycin and polymyxin B sulfates, and  
bacitracin zinc ophthalmic ointment, USP

Sterile Ophthalmic Ointment For veterinary use only Rx only

Net Wt. 3.5 g (1/8 oz.) ANADA 200-553, Approved by FDA



## NEOMYCIN AND POLYMYXIN B SULFATES AND BACITRACIN ZINC

neomycin sulfate and polymyxin b sulfate and bacitracin zinc ointment

### Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:11695-6841
Route of Administration	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>polymyxin B sulfate</b> (UNII: 19371312D4) (polymyxin B - UNII:J2VZ07J96K)	polymyxin B	10000 [USP'U] in 1 g
<b>neomycin sulfate</b> (UNII: 057Y626693) (neomycin - UNII:I16QD7X297)	neomycin	3.5 mg in 1 g
<b>bacitracin zinc</b> (UNII: 89Y4M234ES) (bacitracin - UNII:58H6RWO52I)	bacitracin zinc	400 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name			Strength	
Petrolatum (UNII: 4T6H12BN9U)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11695-6841-3	1 in 1 CARTON		
1		3.5 g in 1 TUBE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANADA	ANADA200553		10/27/2021	

**Labeler -** BUTLER ANIMAL HEALTH SUPPLY, LLC DBA COVETRUS NORTH AMERICA (603750329)

**Registrant -** Akorn Operating Company LLC (117693100)

## Establishment

Name	Address	ID/FEI	Business Operations
Akorn, Inc.		117696840	MANUFACTURE, ANALYSIS, STERILIZE, PACK, LABEL

Revised: 10/2021

BUTLER ANIMAL HEALTH SUPPLY, LLC DBA COVETRUS NORTH AMERICA